## PCT

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup>:

H04Q 7/20, H04N 1/00

A2

(11) International Publication Number: WO 98/19478

(43) International Publication Date: 7 May 1998 (07.05.98)

(21) International Application Number: PCT/SE97/01811

(22) International Filing Date: 29 October 1997 (29.10.97)

(30) Priority Data:

9603978-9

31 October 1996 (31.10.96) SE

(71) Applicant (for all designated States except US): SYSTEM INNOVATION AB [SE/SE]; P.O. Box 7105, S-187 12 Täby (SE).

(72) Inventors; and


- (75) Inventors/Applicants (for US only): SÖDERBERG, Ulf [SE/SE]; Enstavägen 28, S-183 40 Täby (SE). TJÄLLDIN, Birger [SE/SE]; Brobyvägen 38, S-183 40 Täby (SE).
- (74) Agents: SANDSTRÖM, Staffan et al.; Bergenstråhle & Lindvall AB, P.O. Box 17704, S-118 93 Stockholm (SE).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### Published

Without international search report and to be republished upon receipt of that report.

(54) Title: A PRINTING AND SCANNING DEVICE FOR INTERNET AND FACSIMILE CELLULAR SERVICES



#### (57) Abstract

A printing and scanning device to be used for communication via a telephone or data network, in particular a cellular network, comprising in one unit a printer (103), a scanner (107), a keypad (123) and a microprocessor (101). The printer prints all information demanded by a user which in turn only uses a small keypad as input means. The device can interact with a cellular telephone, whereby a number of different communication services can be utilised, such as transmission and reception of facsimiles, e-mails, browsing, downloading and printout of any information available at a global computer network such as the WWW, and setting up of one's own server by scanning a document and storing it in a memory (104).

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑÜ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Мопасо	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Кепуа	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwa
Cl	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	КZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	Li	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

# A PRINTING AND SCANNING DEVICE FOR INTERNET AND FACSIMILE CELLULAR SERVICES

#### TECHNICAL FIELD

The present invention relates to a mobile printing and scanning device. The device is used for receiving and transmitting information via a cellular network and for scanning information from a paper and printing information on a paper. The device can also be used for providing images scanned by an electronic image generator.

### PRIOR ART AND BACKGROUND OF THE INVENTION

In recent years there has been a strong increase in the demand for new services using the cellular telephone networks being built, and which have expanded enormously. Such demands includes the possibility of more advanced hard-copying services.

The services today include the possibility of transmitting and receiving data in a mobile personal computer via a cellular network. The personal computer can then also be equipped with a printer, integrated with the computer or separate therefrom. Other hard-copying services commercially available is a mobile hard-copy facsimile apparatus sold under the name "FX1", which is developed and manufactured by System Innovation. The facsimile apparatus is designed for transmission via a cellular telephone network.

Thus, in the case where the primary desire is to obtain different kinds of communications via a cellular network, the solutions available today are not very well suited. For example, a laptop computer combined with a printer and scanners is today quite expensive. Furthermore, such a combination is not very practical to bring along due to its weight and size. Also, the standby time for such a combination is very limited due to the power consumption involved.

## SUMMARY

It is an object of the present invention to provide a printing and / or scanning device, which can communicate and exchange information with other units via a cellular network, and which can provide a number of different advanced hardcopying services at a low cost.

It is a further object of the present invention to provide a device, which overcomes all the problems outlined above when a user wants to communicate via a cellular network.

It is yet a further object of the invention to provide a small and low-cost printing device which can access and search a global computer network.

These objects and others are obtained with a printing device comprising in one single unit a printer and / or a scanner. The device also comprises a microprocessor for handling the information flow inside the device, and a searching means, such as a browser, whereby the printing device can access and connect to an address in a global computer network. The device can then be used for communication via a cellular network with other units only using as man-machine interface the printer and a keypad.

Possibly also a loudspeaker and light indication signals can be used for providing a user with information. However, no LCD display is required, which is a major advantage since this both saves space and costs.

The use of the device according to the invention provides a large number of advantages in comparison to existing solutions according to the prior art.

Thus, by using a device as described herein, a large number of communication services can be provided and utilised. Such services includes: downloading and printout of any information available in a global computer network such as the world wide web (WWW), reception and transmission of facsimiles, printout of electronic mail received in the user's mailbox, and setting up one's own server which then can be accessed by a third party via a cellular network, etc.

## BRIEF DESCRIPTION OF THE FIGURES

The present invention will now be described in more detail by way of nonlimiting embodiments and with reference to the accompanying drawings, in which:

- Fig. 1 is a schematic block diagram of a printing and scanning device.
- Fig. 2 shows the exterior of a preferred embodiment of the device in fig.1 interacting with a PC and a cellular telephone.

## **DESCRIPTION OF PREFERRED EMBODIMENTS**

In fig. 1, a schematic block diagram of a printing device is shown. Thus, the figure shows a control unit or microprocessor 101, in this example the processor is a microprocessor compatible with a conventional 486-processor manufactured by Intel Corporation. The processor 101 is connected to a printing head 103 used for all printing operations initiated by the processor 101, via a line 105. The microprocessor 101 is also connected to a scanner 107, which is used for scanning any kind of document to be transmitted as a facsimile or stored in a memory 104 associated with the processor 101, via a line 109 and a A/D converter 111.

Furthermore, the processor 101 also controls step motors used for the printer 103 and scanner 107. This is performed by controlling the step motor drives 113 via the line 115. The step motor drives 113 then drive the scanner motor and printer motor 117 and 119, respectively.

Further, the microprocessor 101 is connected to a serial bus 121. The serial bus is also connected to a keypad 123, which is used for entering commands to the microprocessor 101, light emitting diodes (LEDs) 125, which can be used by the device for signalling different states of operation to a user, and a combined multiplexer and A/D converter 127. The combined multiplexer and A/D converter is connected to reflex sensors 129 for the scanner and printer, respectively, to printer head and battery temperature sensors 131, and to a battery charge/discharge monitor and control unit 133, via lines 135, 137 and 139, respectively.

The unit 133 is used for monitoring the batteries and in response to the monitor output signal obtained, for outputting a control signal, which is used for control of the printing speed of the printer 103. Thus, by adapting the printing speed to the battery capacity available, the printout quality can be maintained as the batteries are discharged or exposed for changes in temperature, which in turn will affect the output capacity from the battery.

The maintaining of quality is obtained by controlling the number of dots being printed at the same time in such a manner that the state of charge of the battery does not affect the printout quality. Also, by monitoring the battery

ENSDOCID <WO 9319478A2 | >

charge, a light or sound signal is issued, or a message printout can be initiated when a recharge of the batteries becomes necessary.

To the unit 133 a charger input 141, a DC/DC converter unit 143 and a battery 145 are connected.

Moreover, the microprocessor 101 is connected to an IrDA transceiver 147 via a line 149, to a loud speaker 151 via a D/A converter 153 and an amplifier 155, and to a PCMCIA connector or PC-card slot 157 via a bi-directional buffer 159.

The mobile printing device as shown in fig. 1 can perform a multitude of different communication tasks. Thus, via the interface provided by the IrDA transceiver, information can be received from or transmitted to another unit such as a cellular telephone or a personal computer (PC) without having to use any connection cables. In the case when a IrDA connection is not possible or practised, a PC-card can instead be used. The PC-card is inserted in the PCMCIA connector or PC-card slot 157, and allows for communication via traditional telephone and LAN networks, such as for example the public switched telephone network (PSTN).

Thus, by entering a code via the key pad 123 of the device corresponding to a specific address in a global computer network, such as the World Wide Web (WWW), which address then preferably is printed on paper by the printer head 103, and pressing an enter key, the information available at that address or location in the WWW is transmitted to the printer device via a cellular telephone and a cellular network, and printed out on paper. For this purpose, i.e. searching a global computer network, the printing device is equipped with a browser 102 located inside the controller 101.

In a similar manner an e-mailbox can be contacted and the electronic mail received by the mailbox can be transmitted to the printer device and printed directly on paper.

When the printed page is a page written in HTML code or a similar code wherein links to other addresses in the WWW are indicated and included in the page, each such link in that particular page is given an individual code or

number by the browser 102. The code or number is then preferably printed both in association to the link on the page and/or as a footnote at the bottom of the page printed by the printer, where also the complete address can be printed.

If a user then wants to connect to any of the links indicated on the printed page, he/she only needs to enter the code or number associated with that particular link in order for the browser 102 inside the printing device to look up and connect to that address.

In the case when the links on the printed page are associated with a clickable image, the numerical references to the links can be generated in two different manners. As a first alternative each part of the clickable image can be associated with a particular code which is printed next to that part of the clickable image, i.e. basically the same procedure as described above, and the corresponding address is printed as a footnote at the bottom of the page. In another embodiment, a coordinate system is associated with the clickable image, and by entering the coordinates corresponding to a link associated with a particular part of the clickable image, that link is chosen and the browser connects to the address given by that link.

Furthermore, the printing device can be used as a facsimile apparatus. In such a case, the paper(s) which are desired to be transmitted are scanned by the scanner 107 and the analogue signal output by the scanner is converted to a digital bitstream in the A/D converter 111. The digital signal is then preferably transmitted via the IrDA transceiver 147 and a cellular network via a cellular telephone interacting with the device via the IrDA interface 147. The device is of course also capable of receiving facsimiles via the IrDA interface 147. The received facsimiles are printed out directly on paper by the printer 103.

Also, the printing device can be used as a combined mobile printer/scanner, interacting with a PC. The printer device can then provide all conventional services provided by a conventional printer as well as by a conventional scanner.

In another preferred embodiment the micro processor 101 is also provided with a memory 104 large enough for storing a number of scanned pages scanned by the scanner or captured by the CCD or digital camera. In such an embodiment the device can also act as a server to which other units can connect and read and/or download the information stored in the memory. The scanned or captured images can then be stored as HTML pages which can be accessed via the WWW.

Also in yet another preferred embodiment, the scanner 107 is exchanged or supplemented with an electronic image generator, such as a charge-coupled device 108 (CCD) or a digital camera, whereby the image scanned by the scanner does not need to be printed on paper, but instead can be an image captured by the CCD 108.

In order to provide a user with more information indication LEDs 125 can as mentioned above be lit by the processor 101. The printer device can also output sound via the loud speaker 151.

In fig. 2, the exterior of a device housing in one single unit all the components and parts described above in conjunction with fig. 1, is shown at 201. The figure also shows a cellular telephone 203 and a personal computer (PC) 205. The device 201 can communicate with the cellular telephone 201 and the PC 205, via the IrDA interfaces shown at 207, 209 and 211. The information received by the device is printed on paper by the printer 213, and information can be transmitted or collected by a user by using the keypad 215 and the scanner 217 in a manner as described above in conjunction with fig.1.

Hence, a device as described herein, provides a user with a very efficient and powerful tool when he or she has to communicate. The device as described is very small and has a low weight. The manufacturing cost will be very low compared to other solutions providing similar services, such as a PC having a printer and scanner connected thereto. This is primarily due to that no graphical interface is required.

Furthermore, it is capable of unattended receipt of messages without any power waste. The limiting factor in terms of standby time being determined by


the standby time for the mobile phone used for connecting to the cellular network. The device is also mechanically rugged and robust, and involves few moving parts and external connections. It is therefore suitable for operations in a troublesome environment, such as low temperatures and high vibrations.


Finally, the device has a simple user interface only consisting of, in the simplest embodiment, a keypad and a paper printout. Also, the device has a low power consumption resulting in long recharge intervals.

#### CLAIMS

- 1. A printer comprising a single housing, characterised by
- means for searching of and connecting to a multitude of addresses in a global computer network via a data or telephone network, and
- means for receiving and printing out directly on paper the information provided at a contacted address.
- 2. A printer according to claim 1, **characterised in** that the means for searching the computer network is a browser.
- 3. A printer according to any of claims 1 2, **characterised in** that the data or telephone network is a cellular network.
- 4. A printer according to any of claims 1 3, characterised by
- means for scanning and storing information fed to the device.
- 5. A printer according to any of claims 1 4, characterised by
- means for contacting an e-mailbox.
- 6. A printer according to any of claims 1 5, characterised by
- means for assigning a number or a code to all links associated with a page printed by the printer, and/or
- means for printing footnotes comprising a code or a number and an address in the global computer network.
- 7. A printer/scanner device arranged to be connected to a data or telephone network, **characterised by**
- a controlling unit connected to a scanner and a printer,
- a keypad connected to said controller unit for entering commands to the controller unit, and
- a browser by means of which a global computer network can be searched.
- 8. A device according to claim 7, characterised by
- an IrDA transceiver connected to the controller unit for mobile communication with a cellular telephone.

- 9. A device according to any of claims 7 8, characterised by
- a memory in which images or text scanned by the scanner can be stored and which memory can be accessed via a data or telephone network.
- 10. A device according to any of claims 7 9, characterised by
- a PC-card slot, whereby the device can be connected to a public switched telephone network (PSTN).





## PCT

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

H04Q 7/20, H04N 1/00

(11) International Publication Number:

(43) International Publication Date:

WO 98/19478

7 May 1998 (07.05.98)

(21) International Application Number:

PCT/SE97/01811

**A3** 

(22) International Filing Date:

29 October 1997 (29.10.97)

(30) Priority Data:

9603978-9

31 October 1996 (31.10.96)

SE

(71) Applicant (for all designated States except US): SYSTEM INNOVATION AB [SE/SE]; P.O. Box 7105, S-187 12 Täby (SE).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): SÖDERBERG, Uif ISE/SE]; Enstavägen 28, S-183 40 Täby (SE). TJÄLLDIN, Birger [SE/SE]; Brobyvägen 38, S-183 40 Täby (SE).
- (74) Agents: SANDSTRÖM, Staffan et al.; Bergensträhle & Lindvall AB, P.O. Box 17704, S-118 93 Stockholm (SE).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).


#### Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 9 July 1998 (09.07.98)

(54) Title: A PRINTING AND SCANNING DEVICE FOR INTERNET AND FACSIMILE CELLULAR SERVICES



#### (57) Abstract

A printing and scanning device to be used for communication via a telephone or data network, in particular a cellular network, comprising in one unit a printer (103), a scanner (107), a keypad (123) and a microprocessor (101). The printer prints all information demanded by a user which in turn only uses a small keypad as input means. The device can interact with a cellular telephone, whereby a number of different communication services can be utilised, such as transmission and reception of facsimiles, e-mails, browsing, downloading and printout of any information available at a global computer network such as the WWW, and setting up of one's own server by scanning a document and storing it in a memory (104).

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikist. n
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

International application No.

PCT/SE 97/01811

## A. CLASSIFICATION OF SUBJECT MATTER IPC6: H04Q 7/20, H04N 1/00 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC6: H04Q, H04N Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched SE,DK,FI,NO classes as above Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Category\* Citation of document, with indication, where appropriate, of the relevant passages X 1-3,5,6 Model 709 Data Terminal User's Manual TI Part N. 2310626-1, 15 November 1983 Texas Instruments Incorporated. see page 1:7 - page 1:9; page 1:14 - page 1:15; page 2:19 7 Α 1,2,4,7,9,10 X EP 0677811 A1 (CANON KABUSHIKI KAISHA), 18 October 1995 (18.10.95), column 1, line 5 - line 11; column 1, line 26 - line 37; column 7, line 1 - column 8, line 24, column 9, line 38 - line 57; column 10, line 40 - line 47; column 12, line 33 - line 48; column 14, line 52 column 15, line 11 Α 3,8 Further documents are listed in the continuation of Box C. See patent family annex. χİ later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" erlier document but published on or after the international filling date "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document referring to an oral disclosure, use, exhibition or other document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report **08** -05- **1998** <u>6 May 1998</u> Name and mailing address of the ISA/ Authorized officer Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Göran Petersson Facsimile No. +46 8 666 02 86 Telephone No. + 46 8 782 25 00

Form PCT/ISA/210 (second sheet) (July 1992)

International application No. PCT/SE 97/01811

C (Continu	ation). DOCUMENTS CONSIDERED TO BE RELEVANT	
<del></del> _		Relevant to claim No.
CHEGOTY*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	GB 2287623 A (NOKIA MOBILE PHONES LIMITED), 20 Sept 1995 (20.09.95), page 3, line 7 - line 30; page 4, line 18 - line 27; page 5, line 5 - line 16, abstract, page 6, line 1 - line 8; page 7, line 8 - line 25	7-10
x	WO 9415431 A1 (NOVEL, GORDON ET AL), 7 July 1994 (07.07.94), page 2, line 4 - line 11; page 3, line 2 - line 15, abstract	1,2,3,5
A		4,6,7-10
х	WO 9520195 A1 (DYNAMIC DATA SYSTEMS PTY.LTD.), 27 July 1995 (27.07.95), page 4, line 25 - line 26, figure 1, abstract	1,3
Х	US 5060257 A (GEORGES PENALVER), 22 October 1991 (22.10.91), column 6, line 13 - line 25; column 9, line 63 - column 10, line 24, abstract	1
	<del></del>	
х	EP 0486160 A2 (TOUCHFAX INFORMATION SYSTEMS, INC), 20 May 1992 (20.05.92), column 3, line 8 - line 19, abstract	1,2,4,7,9
A		3,5,6,8,10
x	EP 0438930 A1 (MONEYFAX, INC.), 31 July 1991 (31.07.91), column 12, line 36 - line 58; column 13, line 42 - line 46	1
A		7
	40 40 to to to	
Ì		
orm RCTHE		

International application No. PCT/SE97/01811

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)						
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:							
l. —							
<sub>1</sub> .	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:						
2.	Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such						
	an extent that no meaningful international search can be carried out, specifically:						
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).						
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)						
This Inter	mational Searching Authority found multiple inventions in this international application, as follows:						
See	next page						
1.	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.						
2. X	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.						
3.	As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:						
4. 🔲 }	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:						
Remark o	The additional search fees were accompanied by the applicant's protest.						
	No protest accompanied the payment of additional search fees.						

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)

International application No. PCT/SE 97/01811

invention number 1 claimed in claim 2, invention number 2 claimed in claim 3, invention number 3 claimed in claims 4 and 7-10, invention number 4 claimed in claim 5 and invention number 5 claimed in claim 6.

WO, 9415431, Al shows a portable telecomputer. The telecomputer forms an integral part of a communication system and includes a printer (see page 3 line 2-18). The telecomputer can search and connect to addresses in a global computer network via a telephone network. From the contacted address it can receive information (page 2, line 4-11).

The printing device claimed in claim 1 does not differ from the telecomputer in WO, 9415431, Al. Since the invention according to claim 1 is known there are five inventions in the claims without a technical relationship over the prior art. The inventions are as follows:

invention 1: a printing device with a browser,

invention 2: a printing device that searches via a cellular network.

invention 3: a printing device with scanning means,

invention 4: a printing device with means for contacting an e-mail box

invention 5: a printing device with means for assigning a code to links associated with a page printed by the printer, or printing footnotes comprising a code.

Information on patent family members

02/04/98

International application No. PCT/SE 97/01811

	atent document I in scarch repor	t	Publication date		Patent family member(s)		Publication date
P	0677811	A1	18/10/95	JP US	8069505 5619594		12/03/96 08/04/97
B	2287623	Α	20/09/95	FI GB	941250 9505159		17/09/95 00/00/00
10	9415431	A1	07/07/94	AU	5956294	A	19/07/94
0	9520195	A1	27/07/95	AU CA CN EP JP NZ	6641794 PM350794 2181999 1142871 0741884 9507719 265896	D A A A T	08/08/95 00/00/00 27/07/95 12/02/97 13/11/96 05/08/97 26/07/96
JS	5060257	A	22/10/91	CA DE EP SE ES FR FR JP	2014301 69006383 0394096 0394096 2049436 2646038 2650139 2301257	D,T A,B T3 T A,B	13/10/90 25/08/94 24/10/90 16/04/94 19/10/90 25/01/91 13/12/90
P	0486160	A2	20/05/92	AU AU CA JP	639837 8594791 2053679 4265061	A A	05/08/93 11/06/92 23/04/92 21/09/92
 ЕР	0438930	A1	31/07/91	US	4926325	A	15/05/90